KARCHER

B 40 W BP DOSE (DISC)

Walk-behind scrubber dryer B 40 W Bp. Configuration example with infinitely variable traction drive, disc brush, 51 cm working width and maintenance-free battery with 115 Ah capacity.












Order no. 1.533-210.2

| Technical data | | |
|----------------------------------|--------|---------------------|
| EAN code | | 4039784538764 |
| Working width of brushes | mm | 430 |
| Working width, vacuuming | mm | 850 |
| Tank of fresh/dirty water | 1 | 40 / 40 |
| Theoretical area performance | m²/h | 3060 |
| Practical area performance | m²/h | 1836 |
| Brush rotational speed | rpm | 180 |
| Brush contact pressure | g/cm² | 30 - 25.7 |
| Battery | V | 24 |
| Battery runtime | h | max. 3.5 |
| Sound pressure level | dB(A) | 69 |
| Water consumption | I/min | 3.2 |
| Drive type | | Battery |
| Drive | | Traction motor |
| Power supply for battery charger | V / Hz | 100 - 240 / 50 - 60 |
| Dimensions (L × W × H) | mm | 1249 × 620 × 1145 |

| Equipment | |
|----------------------------------|---------|
| Disc brush | |
| Tank-in-tank design | |
| Motor | Battery |
| Included in the scope of supply. | |

KARCHER



Choice of several batteries. Also available as a mains-operated variant

- The built-in charger is perfectly adapted for the different battery types.
- For a long battery life.

Convenient Auto Fill function

- Time-saving filling of the fresh water tank.
- Filling with the fresh water hose stops automatically as soon as the tank is full.

Brush head with disc engineering

- Optionally available with a 43 or 51 centimetre working width.
- Tool-free and fast brush replacement by foot pedal and locking mechanism.

























| | | Order no. | Description | |
|--|----|-------------|--|--|
| DISC BRUSHES | | | | |
| Disc brush complete white D51, very soft, White, 510 mm | 1 | 4.905-028.0 | White, soft disc brush for the gentle cleaning of sensitive floor coverings. | |
| Disc brush, soft, natural, 510 mm | 2 | 4.905-027.0 | Natural-coloured, soft disc brush for cleaning and polishing textured floor coverings. | |
| Disc brush, medium, red, 510 mm | 3 | 4.905-026.0 | Red standard disc brush for regular maintenance cleaning. | |
| Disc brush complete black D51, hard, black, 510 mm | 4 | 4.905-029.0 | Black, very abrasive disc brush for the deep cleaning of hard-wearing floor coverings with very sticky dirt. | |
| Disc brush, very soft, White, 430 mm | 5 | 4.905-024.0 | White, soft disc brush for the gentle cleaning of sensitive floor coverings. | |
| Disc brush, soft, natural, 430 mm | 6 | 4.905-023.0 | Natural-coloured, soft disc brush for cleaning and polishing textured floor coverings. | |
| Disc brush, medium, red, 430 mm | 7 | 4.905-022.0 | Red standard disc brush for regular maintenance cleaning. | |
| Disc brush, hard, black, 430 mm | 8 | 4.905-025.0 | Black, very abrasive disc brush for the deep cleaning of hard-wearing floor coverings with very sticky dirt. | |
| DISC PADS / PAD DRIVE BOARDS | | | | |
| Microfibre pad | | | | |
| Microfibre pad, White, 508 mm | 9 | 6.371-271.0 | Microfibre disc pad for the reliable and gentle removal of grey haze. Ideal for fine stoneware tiles. | |
| Microfibre pad, White, 430 mm | 10 | 6.371-346.0 | | |
| Pads | | | | |
| Pad, soft, beige, 508 mm | 11 | 6.369-468.0 | Beige-coloured pad for ultra high-speed polishing and cleaning. | |
| Pad, medium-soft, red, 508 mm | 12 | 6.369-079.0 | Red, standard disc pad for regular maintenance cleaning. | |
| Pad, medium-hard, green, 508 mm | 13 | 6.369-078.0 | Green, abrasive roller pad for deep cleaning, as well as the removal of sticky dirt. | |
| Pad, hard, black, 508 mm | 14 | 6.369-077.0 | Black, very abrasive disc pad for the deep cleaning of hard-wearing floor coverings with very sticky dirt. | |

 $[\]blacksquare$ Included in the scope of supply. \qed Available accessories.

























| | | | | \top |
|-------------------------------------|----|-------------|--|--------|
| | | | | |
| | | Order no. | Description | |
| DISC PADS / PAD DRIVE BOARDS | | | | |
| Pads | | | | |
| Pad, hard, brown, 508 mm | 15 | 2.639-258.0 | Very abrasive disc pad for chemical-free care film and decoating. | |
| Pad, soft, natural, 500 mm | 16 | 6.371-146.0 | Beige-coloured disc pad with fine abrasive for cleaning and polishing. | |
| Pad, very soft, White, 432 mm | 17 | 6.369-469.0 | Soft, non-abrasive pad for polishing to a dazzling shine. | |
| Pad, soft, natural, 432 mm | 18 | 6.371-149.0 | The soft, beige natural-hair disc pad is ideal for cleaning and high-gloss polishing. | |
| Pad, soft, beige, 432 mm | 19 | 6.371-081.0 | Beige-coloured pad for ultra high-speed polishing and cleaning. | |
| Pad, medium-soft, red, 432 mm | 20 | 6.369-470.0 | Red, standard disc pad for regular maintenance cleaning. | |
| Pad, medium-hard, green, 432 mm | 21 | 6.369-472.0 | Green, abrasive roller pad for deep cleaning, as well as the removal of sticky dirt. | |
| Pad, hard, black, 432 mm | 22 | 6.369-473.0 | Black, very abrasive disc pad for the deep cleaning of hard-wearing floor coverings with very sticky dirt. | |
| Pad drive boards | | | | |
| Pad drive board STRONG, 479 mm | 23 | 4.762-593.0 | Required for use of melamine pads, but can also be used for normal pads. Pad drive board with lot of extra hooks for holding pads. Extra-strong hold of the pad at the pad drive board of the cleanin head D 51. | - 1 |
| Pad drive board STRONG, 403 mm | 24 | 4.762-592.0 | Required for use of melamine pads, but can also be used for normal pads. Pad drive board with lot of extra hooks for holding pads. Extra-strong hold of the pad at the pad drive board of the cleanin head D 43. | - 1 |
| Pad drive board, 479 mm | 25 | 4.762-534.0 | For cleaning with pads. With quick-change coupling and Centerlock. | |
| Pad drive board, 403 mm | 26 | 4.762-533.0 | For cleaning with pads. With quick-change coupling and Centerlock. Fits D 43. | |
| Diamond pad | | | | |
| Diamond pad, coarse, White, 508 mm | 27 | 6.371-260.0 | White, coarse diamond disc pad for hard floor coverings. Removes minor scratches and creates a clean, even matt base for further treatment with yellow diamond disc pad. | |
| Diamond pad, medium, yellow, 508 mm | 28 | 6.371-261.0 | Yellow, diamond disc pad for treating and maintaining hard floor coverings. For a silky matt surfact which can then be polished with the green diamond disc pad. | :е С |

 $[\]blacksquare$ Included in the scope of supply. \qed Available accessories.

























| | | | | _ |
|--|----|-------------|---|---------|
| | | | | |
| | | Order no. | Description | |
| DISC PADS / PAD DRIVE BOARDS | | | | Ė |
| Diamond pad | | | | |
| Diamond pad, fine, green, 508 mm | 29 | 6.371-240.0 | Green, fine diamond disc pad for polishing polishable floor coverings. Creates high-gloss surfaces and can also be used for crystallisation. | |
| Diamond pad, coarse, White, 432 mm | 30 | 6.371-256.0 | White, coarse diamond disc pad for hard floor coverings. Removes minor scratches and creates a clean, even matt base for further treatment with yellow diamond disc pad. | [|
| Diamond pad, medium, yellow, 432 mm | 31 | 6.371-257.0 | Yellow, diamond disc pad for treating and maintaining hard floor coverings. For a silky matt surface which can then be polished with the green diamond disc pad. | e [|
| Diamond pad, fine, green, 432 mm | 32 | 6.371-238.0 | Green, fine diamond disc pad for polishing polishable floor coverings. Creates high-gloss surfaces and can also be used for crystallisation. | [|
| SQUEEGEES AND SQUEEGEE BLADES | | | | |
| Squeegee blades | | | | |
| Rubber lip set oil resistant BR-BD530,55, oil-resistant, grooved, 890 mm | 33 | 6.273-207.0 | Squeegee blade kit includes front and rear squeegee blades, 890 mm. Grooved squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For all standard floors. | |
| Squeegee blades, oil-resistant, slotted, 890 mm | 34 | 6.273-229.0 | Squeegee blade kit includes front and rear squeegee blades, 890 mm. Slotted squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For sensitive floors. | [|
| Squeegee blades, oil-resistant, closed, 890 mm | 35 | 6.273-290.0 | Suction lip set, consisting of front and rear suction lip. 890 mm long. In an enclosed design made from wear-resistant, oil-resistant and transparent polyurethane. For textured floors. | [|
| Rubber lip set standard, Standard, grooved, 890 mm | 36 | 6.273-213.0 | Squeegee blade kit includes front and rear squeegee blades, 890 mm. Soft natural rubber grooved squeegee blades. For all standard floors. | |
| Squeegee blades for V-squeegee, oil-resistant, grooved, 1010 mm | 37 | 6.273-023.0 | Suction lip set, fluted and developed for V-shaped squeegees with length of 900 mm. The suction lips are made of wear- and oil-resistant polyurethane and are suitable for all floors. | |
| Squeegees | | | | |
| Squeegee, 900 mm, V-shaped | 38 | 4.777-079.0 | 900 mm long, V-shaped squeegee with suction lips made from wear- and oil-resistant polyurethane with a long lifetime and for all floors. With spirit level for precise adjustment. | ; [|
| OTHER ACCESSORIES SCRUBBER DRIERS | | | | |
| Miscellaneous | | | | |
| Filling hose | 39 | 6.680-124.0 | 1,500-mm filling hose for easy device filling from a water tap. With universal tapered fitting for all standard taps. | |
| KIK key, white | 40 | 4.035-076.0 | User key for using the appliance programmable | [|
| KIK key set, white | 41 | 4.035-064.0 | 5 white keys with keychain. Each key can be individually preset using the grey key supplied with the machine. This means that the machine parameters are always the same. The keychain helps to identify the key. This allows parameters to be set for cleaning in summer or winter, in sunshine or rain, on sensitive and hard-wearing floors or in workshops and showrooms. | [|
| Add-on kit eco!zero | 42 | 5.388-133.0 | With ecolzero for climate-neutral cleaning: as compensation for the CO ₂ which is produced by | |
| | | | using the machine, we support climate protection projects worldwide. | \perp |

 $[\]blacksquare$ Included in the scope of supply. \qed Available accessories.

KÄRCHER






























| | | | | Τ |
|---|----|-------------|--|------|
| | | | | |
| OTHER ACCESSORIES SCRUPPER PRIEDS | | Order no. | Description | 1 |
| OTHER ACCESSORIES SCRUBBER DRIERS Home Base accessories | | | | |
| Home Base adapter | 43 | 5.035-488.0 | Fastener for various hooks and clips on the machine. | 10 |
| <u> </u> | | | The state of the s | _ |
| Home Base mop holder kit | 44 | 4.035-374.0 | The Homebase Mop kit contains mop clip, mop support and bottle holder – the perfect solution for securely carrying the mop directly on the scrubber drier. | [|
| Double hook | 45 | 6.980-077.0 | Double hook for attaching rubbish bags, etc. to the machine. Only for use with the Homebase adapter 5.035-488.0. | [|
| Holder handhold grey | 46 | 6.980-078.0 | Mop clip for attaching a mop to the machine. Only for use with the Homebase adapter 5.035-488.0 |). [|
| Bottle holder | 47 | 6.980-080.0 | Suitable for transporting spray bottles - only in conjunction with Home Base adapter 5.035-488.0. | . [|
| Home Base Box Kit | 48 | 4.035-406.0 | The Box kit provides enough space for three cleaning agent bottles along with cloths, scrapers, spare rubbish bags, gloves, etc. | [|
| Universal hook kit | 49 | 4.070-075.0 | Hook and adaptor kit for attachment to the Home Base rail scrubber drier by Kärcher. Ideal for space-saving storage of hoses (for example, spray suction attachment kit) on the machine. | [|
| Holder for squeegee | 50 | 9.753-088.0 | Holder for squeegee: The steel holder is attached to the Home Base rail of the scrubber drier and allows the safe storage and transportation of the squeegee. | [|
| Dosing aids | | • | | Ť |
| DS 3 Cleaning Agent Dosing Station | 51 | 2.641-811.0 | After connecting to a tap, cleaning agent can be filled into the fresh water tank and diluted as required. Can also be used with the filling system attachment kit. Includes backflow preventer (DIN EN 1717). | 1 |
| KITS | | | | |
| Other attachment kits | | | | |
| Suction hose accessories | 52 | 4.444-015.0 | For vacuuming water out of corners or containers (e.g. freezers). | [|
| Attachment kit stacked bumper roller squeegee | 53 | 4.035-619.0 | Additional, non-marking bumper rollers for assembly at the ends of the squeegee. Effectively prevent the squeegee from hooking onto pallets or shelf feet. | |
| TRACTION BATTERIES AND CHARGERS | | | | |
| Batteries | | | | |
| Battery kit, 24 V, 105 Ah, maintenance-free | 54 | 2.815-100.0 | Battery kit with 24 V voltage and 105 Ah (C5) capacity. Comprising several maintenance-free singl gel batteries. | e [|
| Battery kit, 24 V, 76 Ah, maintenance-free | 55 | 2.815-099.0 | Battery kit with 24 V voltage and 76 Ah (C5) capacity. Comprising several maintenance-free single gel batteries. | . [|
| Battery kit, 24 V, 115 Ah, maintenance-free | 56 | 2.815-091.0 | Battery kit with 24 V voltage and 115 Ah (C5) capacity. Comprising several maintenance-free singl AGM batteries. | e l |
| □ Available accessories. | | 1 | | |

 $[\]hfill \square$ Available accessories.











| | | Order no. | Description | |
|--|----|-------------|---|---|
| TRACTION BATTERIES AND CHARGERS | | | | |
| Batteries | | | | |
| Battery kit, 24 V, 80 Ah, maintenance-free | 57 | 2.815-090.0 | AGM battery kit with 24 V voltage and 80 Ah (C5). The kit includes 2 single batteries, each with 12 V and 80 Ah capacity. | |
| Accessories for batteries | | | | |
| Battery mounting kit | 58 | 2.638-036.0 | Installation kit for installing battery kit in a machine. Incl. connection cable and brackets. | |
| | 59 | 2.638-059.0 | Installation kit for installing battery kit in a machine. Incl. brackets and connection cable. | Е |
| Spacer | 60 | 4.642-020.0 | Fits quick charger set 2.642-559.0. Prevents the battery from slipping into the machine. | Г |
| SPRAY UNITS | | | | |
| Pump spray bottle | 61 | 6.394-409.0 | 1-litre pump spray bottle – including pump and pressure tank – easy, uniform spraying for cleaning or crystallising. | |
| SPRAY EXTRACTION CLEANERS | | | | |
| Other | | | | |
| Cleaning agent container, complete | 62 | 4.070-006.0 | Kit consisting of cleaning agent container and Home Base adapter. For connecting Home Base rail. | |
| TROLLEYS & BUCKET SYSTEMS | | <u> </u> | | T |
| Storage | | | | |
| Basket with bottle insert | 63 | 6.999-290.0 | Carrying basket with bottle insert, carrying handle and removable dividers. | |
| | | | | |

 $[\]hfill\square$ Available accessories.