




### **B 300 R I**

The combination machine B 300 RI is a powerful combination of a scrubber sweeper and sweeper with a working width of up to 1755 mm.

# **TECHNICAL DATA AND EQUIPMENT.**





#### B 300 R I

Technical data							
Order Number		1.480-235.2					
EAN code		4054278245218					
Working width, brush mm		1045					
Fresh / waste water tank	I	300 / 300					
Theoretical area performance	m²/h	16550					
Brush rotation speed	rpm	460					
Battery voltage	V	12					
Battery capacity	Ah	80					
Waste container	I	180					
Weight (with accessories)	kg	1750					
Dimensions (L x W x H)	mm	2400 × 1540 × 1760					

Equipment	
Battery type	Starter Battery
DOSE	-

## B 300 R I 1.480-235.2





		Order Number	Length	Colour	Quanti- ty	Price	Description	
Wheels/tyres								
Front wheel, standard	1	6.680-410.0			1 piece(s)		For our ride-on scrubber drier B 300 RI: front wheel made from high-quality, non-marking and oil-proof rubber. Avoids tyre tracks on light surfaces.	•
Front wheel, non-marking, super- grip	2	6.680-377.0			1 piece(s)		Solid rubber wheel, prevents tyre tracks on light surfaces.	
Miscellaneous								
KAERCHER reversion kit Fleet Services EU	3	2.644-101.0			1 piece(s)		]	

<sup>■</sup> Included in delivery. 

Available accessories.

## B 300 R I 1.480-235.2





		Order Number	Length	Diameter	Quanti- ty	Price	Description
Other attachment kits							
Protective roof, high, 2140 mm	1	2.643-944.0			1 piece(s)		High-quality, fully enclosed protective roof at the top for extending our ride-on scrubber drier B 300 RI. Reliable protection against possible risks. Total height with roof: 2.14 m

<sup>■</sup> Included in delivery. 

Available accessories.