



## BR 35/12 C Bp

Agile, lightweight and quiet: The BR 35/12 C scrubber dryer revolutionises high footfall floor cleaning with its fast rechargeable, high-performance lithium-ion battery, rotating brush head, roller brush technology and ecoefficiency mode



### 1 Brush head rotatable by +/- 200° with KART technology, allowing the machine to be steered. For easy negotiation of curves

- Extremely manoeuvrable and effective – ideal for areas with a lot of furniture.
- The brush is always transverse to the direction of travel. The suction bar reliably absorbs the water in every corner.

### 2 Includes high-performance lithium-ion battery

- Completely maintenance-free despite a service life that is three times longer than conventional batteries.
- Interim or partial charging is also possible where necessary.

### 3 Energy-saving ecoefficiency mode

- Saves resources and extends run time by up to 50%.
- 40% reduction in noise level.

### 4 Compact device

- Driving away from the wall is possible at a 90° angle.
- No protrusions from the device; easy handling.



## BR 35/12 C Bp

- Energy-saving ecoefficiency mode
- Includes Sweeping function
- Handlebar height-adjustable

### Technical data


|                                  |                        |                   |
|----------------------------------|------------------------|-------------------|
| <b>Order Number</b>              | 1.783-457.0            |                   |
| <b>EAN code</b>                  | 4039784997813          |                   |
| <b>Working width, brush</b>      | mm                     | 350               |
| <b>Working width, vacuum</b>     | mm                     | 450               |
| <b>Motor rating</b>              | W                      | 500               |
| <b>Battery capacity</b>          | Ah                     | 21                |
| <b>Battery voltage</b>           | V                      | 25,2              |
| <b>Fresh / waste water tank</b>  | l                      | 12 / 12           |
| <b>Brush contact pressure</b>    | g/cm <sup>2</sup> / kg | 80 - 150 / 6 - 12 |
| <b>Brush rotation speed</b>      | rpm                    | 700 - 1500        |
| <b>Max. Area Performance</b>     | m <sup>2</sup> /h      | 1400              |
| <b>Weight (with accessories)</b> | kg                     | 35                |
| <b>Dimensions (L x W x H)</b>    | mm                     | 890 x 420 x 1090  |

### Equipment

|                                     |   |
|-------------------------------------|---|
| <b>Roller brush</b>                 | ■ |
| <b>2-tank system</b>                | ■ |
| <b>Battery and charger included</b> | ■ |
| <b>Variable contact pressure</b>    | ■ |
| <b>Transport wheels</b>             | ■ |
| <b>Straight squeegee</b>            | ■ |
| ■ Included in delivery.             |   |

# BR 35/12 C BP

## 1.783-457.0




|                              |   | Order Number | Hardness/<br>Brush type | Length | Colour | Quantity   | Price | Description  |   |
|------------------------------|---|--------------|-------------------------|--------|--------|------------|-------|--|---|
| <b>Roller brushes for BR</b> |   |              |                         |        |        |            |       |  |   |
| Roller brush                 | 1 | 4.037-031.0  | medium                  | 350 mm | red    | 1 piece(s) |       | Roller brush, medium-hard, red. Length: 350 mm. With wear-resistant star-wheel mechanism. For normal use. Bristles: Polypropylene, 0.4 mm thick, 20 mm long.   | ■ |
|                              | 2 | 4.037-036.0  | very soft               | 350 mm | white  | 1 piece(s) |       | Roller brush, very soft, white. Length: 350 mm. With wear-resistant star-wheel mechanism. For cleaning sensitive floors and polishing. Bristles: Polyamide, 0.3 mm thick, 20 mm long.                              | □ |
|                              | 3 | 4.037-037.0  | high / low              | 350 mm | orange | 1 piece(s) |       | Roller brush, high/low, medium-hard, orange. Length: 350 mm. With wear-resistant star-wheel mechanism. For cleaning heavily structured floors and deep crevices. Bristles: Polyamide, 0.6 mm thick, 15-20 mm long. | □ |
|                              | 4 | 4.037-038.0  | hard                    | 350 mm | green  | 1 piece(s) |       | Roller brush, hard, green. Length: 350 mm. Wear-resistant star-wheel mechanism. For heavily soiled floors and basic cleaning. Bristles: Polyamide with silicon carbide, 0.6 mm thick, 20 mm long.                  | □ |

■ Included in delivery. □ Available accessories.

# BR 35/12 C BP

## 1.783-457.0



MISSING PICTURE:  
M:\print\4037127\_  
std\_01\_170251\_  
acc.tif

2

|                                   |   | Order Number | Length | Colour      | Quantity | Price | Description |                                     |
|-----------------------------------|---|--------------|--------|-------------|----------|-------|-------------|-------------------------------------|
| <b>Squeegees for suction bars</b> |   |              |        |             |          |       |             |                                     |
| Suction lips                      | 1 | 4.037-035.0  | 450 mm | transparent | 2 parts  |       |             | <input checked="" type="checkbox"/> |
| Suction lip set Linatex BR 35/12  | 2 | 4.037-127.0  | 450 mm | red         | 2 parts  |       |             | <input type="checkbox"/>            |

Included in delivery.
  Available accessories.

# BR 35/12 C BP

## 1.783-457.0



|                         |   | Order Number | Hardness/<br>Brush type | Length | Diame-<br>ter | Colour      | Price | Description  |                          |
|-------------------------|---|--------------|-------------------------|--------|---------------|-------------|-------|--|--------------------------|
| <b>Roller pad shaft</b> |   |              |                         |        |               |             |       |  |                          |
| Pad roller shaft        | 1 | 4.762-009.0  |                         | 350 mm |               |             |       | Roller pad shaft, aluminium For roller pads or microfibre rollers, length 350 mm.  | <input type="checkbox"/> |
| <b>Roller pads</b>      |   |              |                         |        |               |             |       |  |                          |
| Roller pad on sleeve    | 2 | 6.369-053.0  | soft                    | 350 mm | 96 mm         | yellow      |       | For polishing and cleaning non-textured floors. In conjunction with pad roller shaft 4.762-009.0.                                | <input type="checkbox"/> |
|                         | 3 | 6.369-047.0  | medium                  | 350 mm | 96 mm         | red         |       | For cleaning non-textured floors. In conjunction with pad roller shaft 4.762-009.0.  | <input type="checkbox"/> |
|                         | 4 | 6.369-052.0  | hard                    | 350 mm | 96 mm         | green       |       | For removing stubborn dirt and deep cleaning of non-textured floors. In conjunction with pad roller shaft 4.762-009.0.           | <input type="checkbox"/> |
| <b>Microfibre shaft</b> |   |              |                         |        |               |             |       |  |                          |
| Microfibre roller       | 5 | 4.037-066.0  | Microfibre              | 350 mm | 96 mm         | light green |       | Combines the excellent cleaning properties of microfibres and the advantages of roller technology. No pad roller shaft required. | <input type="checkbox"/> |

■ Included in delivery. □ Available accessories.

# BR 35/12 C BP

## 1.783-457.0



|  |   | Order Number | Length | Colour | Quantity   | Price | Description   |                          |
|--|---|--------------|--------|--------|------------|-------|---|--------------------------|
| <b>Miscellaneous</b>                         |   |              |        |        |            |       |   |                          |
| Add-on kit ecolzero                          | 1 | 5.388-133.0  |        |        | 1 piece(s) |       | With ecolzero for climate-neutral cleaning: as compensation for the CO <sub>2</sub> which is produced by using the machine, we support climate protection projects worldwide. | <input type="checkbox"/> |
| Filling hose                                 | 2 | 6.680-124.0  | 1,5 m  |        | 1 piece(s) |       | 1,500-mm filling hose for easy device filling from a water tap. With universal tapered fitting for all standard taps.   | <input type="checkbox"/> |
| <b>RM Dosierstation</b>                      |   |              |        |        |            |       |   |                          |
| Cleaning agent dosage kit, wall mounted DS 3 | 3 | 2.641-811.0  |        |        | 1 piece(s) |       | Directly connectable with the tab, water and detergent will be filled in the fresh water tank in the preset mixture. Can also be used with filling system kit.                | <input type="checkbox"/> |

■ Included in delivery. □ Available accessories.