

Cold water compact class

HD 5/12 CX Plus *GB



makes a difference

Compact versatile high performance pressure cleaner with hose reel

Standard accessories:

- Trigger gun : extended
- Easy Press
- Trigger gun with soft grip
- High-pressure hose 15 m
- Spray lance 550 mm
- Triple nozzle/Power nozzle Manual
- Triple nozzle (0°/25°/40°) .
- Dirt Blaster
- Integral high-pressure hose reel
- Anti-twist system (AVS)
- Pressure switch control

Order no.: 1.514-554.0

Technical data

Current type Ph/V/Hz	■
Flow rate l/h	510
Operating pressure bar/MPa	115/11.5
Max. pressure (bar/MPa)	150/15
Max. water feed temperature (°C)	up to 60
Power rating (kW)	2.3
Weight (kg)	27
Dimensions (L x W x H) (mm)	360x400x925

Cold water compact class

HD 5/12 CX Plus *GB



makes a difference

Details

Description

The HD 5/12 CX Plus is a compact, lightweight, and powerful pressure cleaner for professional use. Featuring a 15m hose on a hose reel, a tough, high performance motor and three-piston axial pump, the 5/12 CX is built to perform. Standard accessories include a Dirtblaster nozzle, enhancing cleaning power for heavy-duty applications, and an Easy Press trigger gun, reducing operator fatigue over longer operating periods.

Application

- Contract cleaners
- Car dealerships & Workshops
- Crafts
- Agriculture
- Automotive

Features & Benefits

- 3 piston axial pump with brass water inlet and cylinder head for long service life.
 - Triple nozzle providing optimum cleaning flexibility and effortless change over of cleaning jets.
 - Automatic pressure controlled shutdown upon trigger release for low energy consumption.
 - Adjustable aluminium push handle provides easy manoeuvrability and accessory storage.
 - Handle-mounted hose reel with 15m high pressure hose.
 - Dirt blaster nozzle increasing cleaning performance and covering a larger area.
-

Cold water compact class

HD 5/12 CX Plus *GB



makes a difference

Accessories

Adapter

Adapter M22 - Swivel

M22 x 1,5female and swivel connection. For extension of high-pressure hoses with AVS connection or for usage of the telescopic lance with a high-pressure hose with AVS connection.

Order no. 4.424-004.0



Automatic, self-winding hose reels

ABS hose reel stainless steel

High-grade, automatic steel hose reel. Especially suitable for use in the food industry. The material and finish provide for a corrosion-resistant, watertight capsuled sprung drive. Connection for HP hoses with nipple.

Order no. 2.641-866.0



ABS wall fastening stainless steel

Swivelling wall bracket made of high-grade steel (for 2.641-866). This makes maximum flexibility and convenience possible when working with the HP hose.

Order no. 2.641-867.0



Cup foam lance

Cup foam lance

Short, handy foam lance with adjustable spray angle with 1 litre detergent tank. Ideal for cleaning cars due to its compact design.

Order no. 6.394-668.0



Tank 1L

Order no. 6.414-954.0



Cold water compact class

HD 5/12 CX Plus *GB



makes a difference

Double lance

Double lance 960 mm

960 mm double lance for variable pressure adjustment on handle at full water flow rate. Suitable for agricultural use (e.g. stable cleaning).

Order no. 6.394-665.0



Flexible spray lance

Flexible lance 1050 mm

1050 mm flexible lance with variable bend from 20° to 140°, ideal for cleaning difficult to reach areas, e.g. gutters.

Order no. 6.394-654.0



Floor and hard surface cleaner

FR Xpert hard surface cleaner

A rotating nozzle beam with Kärcher Power nozzles has an area coverage up to 10 times larger than conventional methods. Plastic cover for good manoeuvrability. Nozzle kit included in delivery. Max. 180 bar / 600 l/h / 60 °C

Order no. 2.641-686.0



Food industry version

High-pressure hose 15 m ID 6, AVS trigger gun connector 11 mm, suitable for food industry, grey

15 m high-pressure hose (DN 6) with patented (rotating) AVS trigger gun connector. Non-discolouring outer layer for use in the food industry. DN 6/155°C/250 bar.

Order no. 6.391-654.0



Cold water compact class

HD 5/12 CX Plus *GB



makes a difference

Gutter cleaner

Gutter cleaning lance

The lance is suited for cleaning of gutter systems. Because of the shape of the lance and the special nozzle the gutter can be cleaned without removing the cover plates.

Order no. 2.642-305.0



Longlife 400

High pressure hose DN 6, 10 m, Longlife

With patented AVS connection in the trigger gun (pivot-mounted).

Order no. 6.391-882.0



High-pressure hose packaged

Order no. 6.391-351.0



Longlife 400 with unions on both sides

High-pressure hose 1.5 m, DN 8, including connectors

1.5 m high-pressure hose (DN 8, M 22 x 1.5) with kink protection and connectors at both ends. For connecting to hose reels with appropriate connector (M 22 x 1.5).

Order no. 6.390-178.0



Longlife food industry version

High-pressure hose Longlife 400, 15 m, ID 6, AVS trigger gun connection

Longlife HP hose for use in the food industry. Außendecke## animal-grease-resistant, non-colour-bleeding material. With patented AVS connection in the pistol (pivot mounted)

Order no. 6.391-888.0



Cold water compact class

HD 5/12 CX Plus *GB



makes a difference

Nozzle union

Nozzle connector

For protecting and connecting Kärcher power nozzles to spray lances (M 18 x 1.5 IG).


Order no. 5.401-210.0



Power nozzle spray angle 25°

PCH / Power Nozzle 25250

Order no. 5.765-078.0



Push-on washing brush

Push-on wash brush, M 18 x 1.5

Push-on wash brush for universal use. Simply push on to lance. Connector: M 18 x 1.6.

Order no. 4.762-016.0



Quick connect

Quick coupling

For quick change of different spray lances and accessories. Optimum adaption to Kärcher accessories, especially for connection between trigger gun and spray lance. With M22 x 1,5 female.

Order no. 6.401-458.0



Plug nipple

Hardened stainless steel nipple for quick coupling 6.401-458. With M22 x 1,5 male.

Order no. 6.401-459.0



Cold water compact class

HD 5/12 CX Plus *GB



makes a difference

Rotary coupling

Rotary coupling

Kärcher rotary coupling prevents twisting and kinking of high-pressure hoses for ease of use. Connector M 22 x 1.5 m. With grip protection.

Order no. 4.401-091.0



Spacer (including nozzle union)

Spacer (incl. nozzle union)

Guarantees constant safety clearance, e.g. for tyres and bodywork. Helps prevent damage to sensitive surfaces. Mounts directly to lance.

Order no. 5.394-294.0



Spray lance

550 mm lance, non-rotatable

550 mm stainless steel lance. With manual coupling. Non-rotatable.

Order no. 4.760-665.0



Lance 250 mm, non-rotatable

250 mm stainless steel lance. With manual coupling. Non-rotatable.

Order no. 4.760-667.0




standard

High-pressure hose, 10 m, DN 6, 300 bar, AVS trigger gun connection

With patented AVS connection in the trigger gun (pivot-mounted) and hand screw union. M 22 x 1.5 with anti-kink protection. NW 6/155°C/300 bar

Order no. 6.391-875.0



Cold water compact class

HD 5/12 CX Plus *GB



makes a difference

Suction filter

Water filter

Order no. 6.414-956.0



Telescopic spray lance

Telescopic jet pipe

Order no. 6.394-690.0



Trigger guns

High end high-pressure trigger gun

Order no. 4.775-823.0

