Happy Cleaning



40 Years of Good Clean Fun

It all started with a Smile...

lietty

000

Clengy

[]OIIS

Clenk

Congy

Central

leggy

40 Years ago we added a face to our already popular NV250 commercial vacuum. The response to adding a simple smiling face was tremendous, resonating with professional cleaners working long and anti-social hours. Demand for the face was instant and Henry was born. Henry's smile is just as welcome and popular as ever with over 10 million sold worldwide over the last 40 years.

Henry and his famous smile are synonymous with reliability and professional quality.

Henry's values are at the core of our entire professional cleaning product range, we understand what professional cleaners need... simplicity, reliability, quality, value and a Smile !

Contents

4-5 Henry 200
6-7 Henry 240
8-9 Charles & George
10-11 Loline & HMF
12-13 Henry 1840
14-15 Henry 3045 & 4045
16-18 Accessories
19 Brushes and Pads

Gaged



The original 200 series, a trusted and familiar face on the outside with the latest innovation inside.

With the introduction of ECO technology, Henry not only gives you unbeatable cleaning but now also saves substantially on energy costs... better and clever!

HVR200



HVR 200 HET 200

25.2 kWh/annun

72_{dB}

AB**C**DEFG

AB**C**DEFG

AB**C**DEFG



TriTex and HepaFlo high efficiency filtration syster

able rewind and storad







Model Motor Power 620W 230V A0 IVR200 Energy Efficiency Class A-G KWh/annu 25.2

On / Off power indicator









On-board tool storage

- A Class Energy efficient, "A" rated.
- **O High Efficiency Motor** Numatic high efficiency longlife motor.
- 10 Metre Cable Easy reach,10 metre cable and rewind storage system.
- TriTex Filtration System Improves filtration, cleanliness and capacity.

• Tool Storage On-board accessory storage, tools are always to hand.

• Wand Docking Convenient, on-board wand docking storage.

• HepaFlo

Easy to change high efficiency HepaFlo bags. NVM-1CH pack of 10 PN: 604015

O Professional Accessory Set A tool for every job, full accessory kit

AS1 with stainless steel tube set. (See page 16 for full accessories)

	Suction H ² O	Kit	Drum Capacity	Cleaning Range	Weight	Dimensions WxLxH	
;	2300mm	AS1	9L	26.4m 8.0kg		340x360x370mm	
	Cleaning Performance			Dust Re-emiss	Cound Doutor Lough		
	Carpet A-G	Ha	ard Floor A-G	Dust Re-emiss	Sound Power Level		
	C		0	0		72dB	



Everything you love about your Henry but just that little bit bigger. The Professional Henry.


HVR240





Model	Motor	Power	Suction H ² O Kit Drum Capacity		Cleaning Range	Weight	Dimensions WxLxH		
HVR240	620W	230V AC 50/60Hz	2300mm	AS1	9L	26.4m	9.0kg	360x370x415mm	
Energy Efficiency			Cleaning Performance			Dust Re-emiss	Sound Power Level		
Class A-G KWh/annum		Carpet A-G	Hard Floor A-G		Dust ne-cilliss	0015	Souliu Fower Lever		
А	A 25.2		С	C		С		72dB	

6



25.2

ABCDEFG

72dB





TriTex and HepaFlo high efficiency filtration system

- A Class Energy efficient, A rated.
- High Efficiency Motor Numatic high efficiency longlife motor.
- Convenient Front Switch Accessible front switch for ease of use.
- 10 Metre Cable Easy reach,10 metre cable and rewind storage system.
- TriTex Filtration System Improves filtration, cleanliness and capacity.
- Tool Storage On-board accessory storage, tools are always to hand.
- Wand Docking Convenient, on-board wand docking storage.

• HepaFlo Easy to change high efficiency HepaFlo bags. NVM-1CH pack of 10 PN: 604015

 Professional Accessory Set A tool for every job, full accessory kit AS1 with stainless steel tube set. (See page 16 for full accessories)

360mm





10m cable rewind and storage system

415mm **9L**

Capacity

Wand docking with on-board accessory storage

Charles CVC370

If you need a machine for wet and dry use that is totally without compromise, then Charles is the vacuum cleaner for you.



With big filters and disposable HepaFlo dust bags for

or drying your floor the next.

dry use, a safety float valve for wet pick-up, and a comprehensive accessory kit included Charles is ready to tackle almost anything that comes along, wet or dry.

- Bypass AirFlo Motor Reliable, professional Bypass AirFlo vacuum motor.
- Float Valve Safety float valve for wet pick-up.
- TriTex Filtration TriTex filtration system improves filtration, cleanliness and capacity.
- Carry Handle Convenient carry handle.
- HepaFlo Bags Easy to change HepaFlo bags. NVM-2BH pack of 10 PN:604016
- Professional Accessories A tool for every job, full accessory kit A21A including a Lightweight aluminium tube set which will never rust. (See page 16 for full accessories)



A true "all in one machine" be it dry vacuuming, wet vacuuming, scrubbing and drying hard floors, deep cleaning the carpet, cleaning the upholstery or unblocking the sink George is your man.

When dry vacuuming you have big filters and a dust bag. In wet mode, a simple exchange of the dry filter for the safety float valve allows any number of wet tasks to be achieved. When in spray extraction mode the tank within a tank system maintains the compact convenient size for every use.







- **O** TriTex Filtration TriTex filtration system improves filtration, cleanliness and capacity.
- Carry Handle Convenient carry handle.
- HepaFlo Bags Easy to change HepaFlo bags. NVM-2BH pack of 10 PN:604016
- Professional Accessories Wet and dry accessory kit A26A with stainless steel tube set. (See page 16 for full accessories)
- Quick Change Quick easy change between wet and dry system.
- Tank Within a Tank Simple, clean and efficient. This unique design allows an easy to fill and quick to change system.

Model	Motor	Power	Suction H ² O	Kit	Capacity	Range	Weight	Dimensions WxLxH
GVE370	1060W	230V AC 50/60Hz	2400mm	A26A	9L Wet 15L Dry	26.8m	11.0kg	360x370x510mm




ns WxLxH x510mm

Charles



ciency HepaFlo bags					Standard easy emptying handle system						
	Motor	Power	Suction H ² O	Kit	Capacity	Range	Weight	Dimensi			
0	1060W	230V AC 50/60Hz	2400mm	A21A	9L Wet 15L Dry	26.8m	9.0kg	360x37			



CEOLLE

GVE370



Hand held upholstery nozzle

Henry LoLine HLL332

The Henry LoLine provides the cleaning performance of much bigger models but is lighter in weight, compact and convenient in storage.

Simplicity and ease of use is at the heart of Henry LoLine's design with no compromise in performance. Any operator can guickly master professionally clean floors. A cleaning speed of 200rpm coupled with a huge selection of pads, brushes and accessories makes this a truly versatile floor care solution.

> The unique folding design allows for compact storage in the tightest of cleaning cupboards. A weight of 18kg makes for easy transportation and handling.

Professional performance, easy to use, lightweight, floor care versatility, with the Henry Loline you have it all... and a smile of course.

HLL332



Motor Speed Brush Pad Range Weight HLL332 400W 200rpm 330mm 330mm 32m 18kg 230V AC 50/60Hz HLL415 400W 150rpm 400mm 360mm 32m 18.5kg

330x540x1145mm 360x540x1145mm

10 (See page 19 for full accessories) Available January 2018

Pads & Brushes Full range of 33cm (13") brushes and pad drives for all primary floor care functions.

• Easy Storage

Folds flat for

easy storage

Only 18kg in weight, compact size and folding design means it's easy and convenient to move and store.

200rpm

200rpm means versatility but equals performance of bigger more industrial machines.



(See page 19 for Brushes and Pads)



Solution tank option

Henry FMH1515

Ask any professional cleaner to select the most essential equipment for their cleaning regime and the answer will include a tough professional vacuum and powerful rotary floor machine. Now you have a Henry to serve each and every task.

The Henry FMH is built on our time tested Hurricane series, tested across the globe providing tough cleaning every day, day in day out. The heart of the Henry FMH is a powerful oversized Hurricane 1500W drive motor allowing for higher speeds and the use of added weight as required.

User operation is straightforward whilst the transmission of power to the floor is seamless via the longlife oil filled planetary gearbox. This results in a floor machine that really is a pleasure to use.

The Henry floor machine... professional cleaning power and reliability you can expect from the trusted Henry range.

Planetary Gearbox

Longlife, oil filled, low load planetary gearbox.

- NuLoc2 Systems Optional pad interchange systems, quick, simple and secure.
- ATC (Automatic Torque Control) Monitoring and balancing power input throughout the cleaning cycle.
- Fully Adjustable Handle Adjustable for the perfect position.
- Accessories A range of accessories available to cover wet applications, carpet shampooing, vacuum polishing and floor sanding.



Optional 10kg additional weight

FMH1515



Model Motor Deck FMH1515 1500W 450mm



Brush	Pad	Power	Speed	Vacuum	Range	Weight	Dimensions (WxLxH)
450mm	400mm	230V AC 50Hz	150rpm	Optional	32m	32kg	460x560x1250mm

Available January 2018 (See page 19 for full accessories) 11

Henry 1840 Quick Clean Floors

When it comes to quick and simple floor maintenance there are many many more smaller and often congested applications than bigger areas... not everything is as big as a football pitch!

The Henry 1840 super compact series provides the perfect answer in both mains cable and battery specifications. Fast and easy to use by literally anybody, easy to fill, easy to empty, easy to put away and easy for the customers to see who looks after their floors.

Whether you're in a shop, cafeteria, showroom, office or bank, this is really cleaning the way it should be... you will never look back.

• Battery Pack Quick change 24V gel battery pack. (HTB1840G)

• Cable Free Total freedom of 24V battery operation. (HTB1840G)

• Water Feed System 360° water feed system for uniform liquid delivery to floor.

• Fully Adjustable Handle Flat to upright for perfect position.

• **Parabolic Squeegee** 270° rotating parabolic squeegee system.

Quick Change
 Fast, single handed brush
 or pad changing.

Henry1840

[]CI]]


Folds flat for easy storage

[]OILY





Adjustable handle



12 (See page 19 for full accessories) Images may include optional accessories for illustration purposes.





Optional extra battery

Power	Brush Speed	Runtime /Range	Recharge Time	Pad / Brush Width	Capacity	Ready to use weight	Dimensions (WxLxH)
2x12V 1V 18Ah)	150rpm	45min	6hr	360 / 400mm	18L	70kg	520x850x1132mm
20-240V 50Hz	150rpm	42m	-		IOL	56.5kg	520x880x1132mm

Available October 2017 (See page 19 for full accessories) 13

Henry HGB3045 & Hetty HBG3045

You know his smile, you'll love his simplicity, reliability and of course clean, dry floors day in day out.

The Henry HGB battery scrubber dryer brings innovation to the new extended Henry range. No matter the cleaning task you'll always have a Henry to hand.

GelTec batteries are standard, providing long lasting power whilst completely maintenance free. Controls are kept simple and straightforward. Each component is colour coded, guiding any user during set up, use, emptying and cleaning of the machine.







Simple controls



- Easy to use controls Now with red touch user friendly controls.
- Gel Batteries 10hr charge time.
- O Battery and Hour Meter Simple hour / battery indicator.
- Fully Adjustable Handle For the perfect working position.
- **O Structofoam Chassis** New chemical resistant structofoam moulded chassis.
- 30L Capacity Polyform tank.
- 45cm Scrub Width Tilting deck for easy brush change.



Tilting deck for easy brush change and storage

Henry HT4045

Our Henry mains cable scrubber dryer is built on the foundations of one of our most successful TwinTec series, the TT4045.

There are occasions when there is simply no substitute to the power of a mains cable scrubber dryer. Rough flooring, heavy soiling and high friction non-slip floor coverings can often demand the most powerful cleaning. With three times the power of a battery machine the Henry HT is there when you need him.

You couldn't find a scrubber dryer that's easier to use and maintain. Controls are kept simple and straightforward whilst components are colour coded to guide users when filling and emptying. Henry has become the professional cleaners choice to millions through hard work, and reliability... the Henry HT offers more of the same with a smile.



- O Structofoam Tilting **Brush Deck** Making brush changes quick and simple.
- O Planetary Gearbox Longlife, oil filled, low load gearbox.
- Simple Control Simple on / off trigger controls.
- Polyform Tanks Heavy duty clean and dirty water tanks.
- Flexifill System Easy filling and emptying system.
- Structofoam Chassis Incredibly tough and chemical resistant Structofoam moulded chassis.





Simple controls



Fully adjustable handle



Brush Motor

HT4045 1500W 1200W

Model



Power	Brush Speed	Range	Pad / Brush Width	Capacity	Ready to use weight	Dimensions (WxLxH)
20-240V 50Hz	150rpm	42m	400 / 450mm	40L	107kg	470x890x1100mm

Available October 2017 (See page 19 for full accessories) 15

Accessories









NuTab Dosing made simple just add water

Soluble NuTab tablet



Selecting a cleaning additive can be confusing, never mind how to store, measure and dispense liquid cleaning additives.

NuTab is simple... just pop in a tablet with each tank of water for effective cleaning with a fresh fragrance.

NuTab dosing tablets 9 x packs of 10 Tablets 903981

Optional Accessories

With each HomeCare model we have provided a comprehensive accessory kit to complement the machines function and performance.

HepaFlo Dust Bags

All HomeCare machines use our high efficiency, giant HepaFlo dust bags ensuring excellent performance and clean and simple emptying

HepaFlo NVM-1CH 10 per pack (604015) Fits all James, Henry, Hetty & Harry models.

HepaFlo NVM-2BH 10 per pack (604016) Fits all Charles and George models for dry use only.



Filters

For HomeCare models there are optional filters to achieve a range of filtration requirements.



MicroFresh Odour Control Filter (604170) Not compatible with HVR / HET160. The 3-layer MicroFresh filter system enhances filtration standards to 98% at 0.5 micron but equally important, it embodies a giant activated charcoal filter membrane sandwiched between twin TriTex filters, providing an effective odour control system for pet loving people!



MicroTex Filter (604311) Not compatible with HVR / HET160

drugsmiles

This multi-layer high efficiency filter has been developed for the Henry Micro machine and when used in conjunction with the HepaFlo NVM-1CH dust bags (above) will upgrade the machine to the full British Allergy Foundation approval standard (Dry Use Only).

Brushes and Nozzles

AiroBrush Black (601227) Unique AiroBrush for superb carpet care, fits all models.

HairoBrush (601228) Unique HairoBrush for excellent pick-up of pet hair especially on furniture and stairs.

MultiFlo 300mm (900918) Hard floor brush.





Brushes and Pad Drives

Careful selection of quality brushes and pads will ensure your FloorCare machine always operates at its best.





Polyscrub Brush General scrubbing duties suitable for most floor types

Nyloscrub / Shampoo Brush Suitable for when lighter scrubbing is required. Can be used for shampoo cleaning





Can provide extended cleaning life in

comparison to alternative heavy duty scrubbing

brushes. Suitable for heavy duty scrubbing.

Longlife Light Scrubbing Brush Can provide extended cleaning life in comparison to alternative light scrubbing brushes. Suitable for light scrubbing and polishing.



High Speed Spider NuLoc2 Drive Board Spider design specification provides optimum stability needed for 450rpm speed machines. NuLoc2 offers an alternative to PadLoc



Sandotex Disc Drive Highly abrasive disc for use on rotary machine.



Carbotex Grinding Disc Carbon based discs provide high abrasive properties with long life.



Heavy Duty Scarifying Disc - Spirotex 6 Head Heavy duty scarifying board fitted with 6 wire Spirotex heads

Porcupine Pad Holder Can be used as an alternative pad drive board

when required.

					Rotary Floor Cleaners			TwinTec	
Туре	Image No.	Description	Brush / Pad Size mm	Part No.	FMH1515	HLL332	HLL415	HGB3045 / HT4045	HTB1840 HT1840
	1	Polyscrub Brush	330 400 450	606033 606105 606203	•	•	•	•	•
	2	Nyloscrub Brush	330 400 450	606556 606204	•	•	•	•	
Brushes	3	Union Mix Polish Brush	330 400 450	606104 606102 606202	•	•	•		•
	4	Longlife Brush	370 450	606302 606306	•			•	•
	5	Longlife Light Scrubbing Brush (red)	370 450	606303 606307	•			•	•
	N/A 6	Longlife High Lustre Polishing Brush (blue) (FMH) Floortec Heavy Duty Scrubbing / Stripping Brush (black)	450 450	606308 606305	•				
PadLoc	7	PadLoc Drive Board (black)	360 400	606400 606401	•			•	•
NuLoc2	8 N/A N/A	NuLoc2 Drive Board NLL332 Pad Drive NLL415 Pad Drive	360 400 330 360	900524 900525 606111 606112	•	•	•	•	•
	9	High Speed Spider NuLoc2 Drive Board (FMH)	400	900527	•				
Specialised (Rotary Machines Only)	12 13 14 15	Wire Scarifying Brush Sandotex Disc Drive Carbotex Grinding Disc Heavy Duty Scarifying Disc Spirotex 6-head	400 400 400 400	606207 606209 606208 606211	• • • •				
Nuplex	11 11	NuPlex Pads Starter Pack NuPlex Pads Pack of 5	350 430 350 430	900967 900969 900975 900974	•			•	•
Other	10	Porcupine Pad Holder	400	606700	•				

Guidance only - Each application should be assessed before selection of brush / pad. Supplied with standard machine Specification subject to change without prior notice.

Tubes Sets 32mm

- 1- 3-piece Aluminium Tube Set (601054)
- 2- Aluminium Extension Tube, 422mm (601024)
- 3- 3-piece Stainless Steel Tube Set (601053)
- 4- Stainless Steel Extension Tube, 422mm (601008)





Union Mix Polish Brush

Ideal for polishing uses a well-proven mix of high quality bristles for optimum results.



PadLoc Drive Board

Nuplex Pad


A simple, effective and easy to use system Pads are located securely and perfectly centred every time. Suitable for general use.



Low water, chemical free maintenance suitable

for a wide range of applications.

Longlife Scrubbing Brush Can provide extended cleaning life in comparison to standard scrubbing brushes. Suitable for general scrubbing.



Nul oc2 Drive Board

Alternative to PadLoc that may be required when using a rotary machine in certain circumstances. Suitable for general use.



Wire Scarifving Brush Suitable for scarifying a range of floor surfaces, typically used in preparation of concrete flooring.



Numatic International Limited,

Chard, Somerset, TA20 2GB, UNITED KINGDOM

Tel: 01460 68600 Fax: 01460 68458

www.numatic.co.uk



Numatic International S.A.S,

13/17 rue du Valengelier, EAE la Tuilerie, 77500 Chelles, FRANCE

Tel: 01 64 72 61 61 Fax: 01 64 72 61 62

www.numatic.fr



Numatic International RV

BeNeLux Distribution Numatic International BV Postbus 101 2400 AC Alphen aan den Rijn NEDERLAND

Tel: 0172 467 999 Fax: 0172 467 970

www.numatic.nl



Numatic International

Fränkische Straße 15-19, 30455 Hannover DEUTSCHLAND

Tel: 05 11 98 42 16 0 Fax: 05 11 98 42 16 20

www.numatic.de



Numatic International ULDA

Centro de Negócios da Maia Rua Albino José Domingues n.º 581 4470 - 034 Maia PORTUGAL

Tel: 351 220 047 700

www.numatic.pt



Numatic International Schweiz AG.

Sihlbruggstraße 142 6340 Baar, SCHWEIZ

Tel: 041 768 07 60 Fax: 041 768 07 69

www.numatic.ch



Numatic International (Pty.) Ltd.

16th & Pharmaceutical Roads, Midrand, Gauteng, S.A. 1685.

Tel: 0861 686 284 Fax: 0861 686 329

www.numatic.co.za



Specification subject to change without prior notice. 906978/0817 ©Numatic International Limited 2017